

L Number	Mits	Search Text	DB	Time stamp
-	50 91 KQVipued 91)	("5440559" "5929771" "6026333" "6292830" "6198696" "5337044" "5630224" "5649210" "5689669" "5794245" "5799194" "5822600" "5884323" "5896133" "5920728" "5959435" "6000000" "6000003" "6070140" "6233689" "6243325" "4819162" "5006985" "5243331" "5457476" "5625377" "5899979" "4551620" "5251259" "5452417" "5471575" "5519606" "5534911" "5594638" "5614940" "5675786" "5703919" "5701894" "5711297" "5724968" "5761646" "5778346" "5818510" "5920824" "5995454" "6009413" "6052119" "6052372" "6194867" "6205135").pn. 3 5625377.URPN.	USPAT	2003/03/17 18:35
-	12672	(organiz\$3 or group or categor\$5) with (data or input or information) with (time or date) ((organiz\$3 or group or categor\$5) with (data or input or information) with (time or date)) with computer	USPAT	2003/03/17 16:52
-	575	((organiz\$3 or group or categor\$5) with (data or input or information) with (time or date)) with computer pr pda or portable	USPAT	2003/03/17 18:41
-	605	((organiz\$3 or group or categor\$5) with (data or input or information) with (time or date)) with (computer or pda or portable) ((organiz\$3 or group or categor\$5) with (data or input or information) with (time or date)) with (computer or pda or portable)	USPAT	2003/03/17 18:37
-	599 KQVipued 91)	((organiz\$3 or group or categor\$5) with (data or input or information) with (time or date)) with (computer or pda or portable) (((organiz\$3 or group or categor\$5) with (data or input or information) with (time or date)) with (computer or pda or portable)) same (initial or default)	USPAT	2003/03/17 18:38
-	24	(organiz\$3 or group or categor\$5) with (data or input or information) with (clock or date)	USPAT	2003/03/17 18:38
-	3926	(organiz\$3 or group or categor\$5) with (data or input or information) with (clock or date)	USPAT	2003/03/31 17:14

*Reviewed
7/1*

	5	(organiz\$3 or group or categor\$5) with (data or input or information) with (clock or date) with (computer or pda or palm or portable) with schedule	USPAT	2003/03/17 18:47
	114	(group or categor\$5) with (data or input or information) with (clock or date) with (computer or pda or palm or portable)	USPAT	2003/03/18 10:40
	105	(group or categor\$5) with (data or information or record) with (clock or date) with (computer or pda or palm or portable) (display or view or show or present) with (data or information or record or category) with (default or initial) with (computer or pda or palm) with (profile or preference)	USPAT	2003/03/18 11:27
	3	(display or view or show or present) with (data or information or record or category) with (default or initial) with (computer or pda or palm) with (date or time) ("4221974") or ("4604711") or ("4975828") or ("5615373") or ("5696973") or ("5790307").PN.	USPAT	2003/03/18 11:31
	22	(display or view or show or present) with (data or information or record or category) with (default or initial) with (computer or pda or palm) with (date or time)	USPAT	2003/03/18 11:43
	14	((("4221974") or ("4604711") or ("4975828") or ("5615373") or ("5696973") or ("5790307")) .PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/18 12:01
	15846	(group or organize or place or sav\$3 or record or categor\$3) with (input or entry) with (time or date)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/18 12:06
	364	(group or organize or place or sav\$3 or record or categor\$3) with (input or entry) with (time or date) with (computer or palm or pda) with (group or set or category)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/18 12:19
	26	((group or organize or place or sav\$3 or record or categor\$3) with (input or entry) with (time or date) with (computer or palm or pda) with (group or set or category)) and 705\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/18 12:22
	4	((group or organize or place or sav\$3 or record or categor\$3) with (input or entry) with (time or date) with (computer or palm or pda) with (group or set or category)) with (default or initial)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/18 12:28
	0	default with (category or group) with (input or entry) with (palm or pda)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/18 12:32
	4	default with (category or group) with (input or entry) with (computer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/18 12:37
	1	1999-131642.NRAN.	DERWENT	2003/03/18 12:35
	25	default with (category or group) with (input or entry) with (computer or device or electronic or automated or client or cpu or processor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/18 12:57
	192	708/212.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/18 13:02
	54	708/112.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/18 13:19

	3325	(stor\$3 or record) with (data or input or entry) with (date or time) with (default or initial)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/18 14:21
	11	((stor\$3 or record) with (data or input or entry) with (date or time) with (default or initial)) with (palm\$3 or pda or portable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/18 14:24
	0	(palm\$3 or pda or portable) with cetegor\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/18 15:03
	0	(palm\$3 or pda or portable) same cetegor\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/18 14:25
	0	(palm\$3 or pda or portable) with informataion with nanager	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/18 14:26
	0	informataion with nanager	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/18 14:26
	0	(palm\$3 or pda or portable) with information with nanager	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/18 14:26
	3	5625377.URPN.	USPAT	2003/03/18 14:29
	0	(handheld) with cetegor\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/18 15:06
	17965	(determin\$6 or find or calculat\$5) with time with (data or information or input or record) with (categor\$6 or group or set or cluster)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/18 15:13
	17064	(set or specify or choose) with (default or initial) with (category or group or set) with (date or time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/18 15:25
	1284	((determin\$6 or find or calculat\$5) with time with (data or information or input or record) with (categor\$6 or group or set or cluster)) and ((set or specify or choose) with (default or initial) with (category or group or set) with (date or time))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/18 15:25
	160	((determin\$6 or find or calculat\$5) with time with (data or information or input or record) with (categor\$6 or group or set or cluster)) and ((set or specify or choose) with (default or initial) with (category or group or set) with (date or time))) and (palm or portable or pda or handheld)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/18 15:17
	59	(set or specify or choose) with (default or initial) with (category or group or set) with (date or time) same (portable or palm or pda or handheld)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/18 15:59

	2	("5390281").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/18 16:10
	12	((("5050105") or ("5063600") or ("5070470") or ("5129057") or ("5247438") or ("5307086")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/18 16:28
	21	5247438.URPN.	USPAT	2003/03/18 16:15
	21	5247438.URPN.	USPAT	2003/03/18 16:21
	21	5247438.URPN.	USPAT	2003/03/18 16:21
	1	1993-311864.NRAN.	DERWENT	2003/03/18 16:22
	119	spurgeon-\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/18 16:28
	15	spurgeon-\$.in. and exchange	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/18 16:29
	5	((("5983200") or ("6108640")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/31 17:17
	0	("(stor\$3 or sav\$3 or record) with input with (categor\$5 or group or set)").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/31 17:18
	31438	(stor\$3 or sav\$3 or record) with input with (categor\$5 or group or set)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/31 17:21
	8022	((stor\$3 or sav\$3 or record) with input with (categor\$5 or group or set)) with (computer or device or database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/31 17:22
	252	((((stor\$3 or sav\$3 or record) with input with (categor\$5 or group or set)) with (computer or device or database)) same (initial or default)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/31 17:23
	86	((((stor\$3 or sav\$3 or record) with input with (categor\$5 or group or set)) with (computer or device or database)) same (initial or default)) same (time or date or clock)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/01 11:04
	2	("5873108").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/01 12:03
	2	("6026333").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/01 12:06
	2	("5570109").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/01 12:08

-	2	("4457476").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/01 12:08
-	2	("5457476").PN.		2003/04/01 12:09
-	0	("calndar with defualt with (modify or edir or change)").PN.		2003/04/01 12:10
-	0	calendar with defualt with (modify or edir or change)		2003/04/01 12:10